

DESIGNED FOR THE FUTURE

PROFESSIONAL EQUIPMENT FOR HOTELS AND RESTAURANTS



THE NUMBER ONE CHOICE

Welcome to Dometic!

Whether it's a family-run Bed & Breakfast or the world's first 7-star hotel, the hospitality industry trusts us to deliver high-quality solutions for enhanced guest satisfaction. Today you can find millions of Dometic minibars, room safes and wine cellars in hotels of all star categories across the world – something we are very proud of. The best products are now here for you to explore.

Welcome to our new catalogue – enjoy browsing and let us know what we can do for you.



MINIBARS

Choose from our comprehensive range of minibars. Find the solution to suit the requirements of your guests and style of your interior.

PAGE 6 – 21



SAFES

Enhance the well-being of your guests by giving them the peace of mind that their valuables are safely stored.

PAGE 22 – 33



RESTAURANT & CATERING

Food delivery solutions.

PAGE 34 – 37

MINIBARS

Introduction	6 – 13
New HiPro Minibars	14 – 17
Drawer Minibars	18 – 19
Minibar Installation Guide	20 – 21
New HiPro Exchange Guide	38

SAFES

Introduction	22 – 25
ProSafe Premium Class	26 – 29
ProSafe Standard Class	30 – 33

RESTAURANT & CATERING

Introduction	34
CFX3	35 – 36
Portable Lithium Battery	36
Ice Boxes	37

DOMETIC ON THE WEB

Here's where you can find the complete Dometic range, with detailed information about all products. Plus, interesting facts about our company and download links for all our catalogues.

dometic.com



PIONEERING THE HOTEL INDUSTRY AGAIN.

GIVE YOUR GUESTS AN UNFORGETTABLE STAY

You will find more Dometic minibars and safes than any other make in first-class hotels across the world. Why? Know-how accumulated over 50 years, a track record of innovation as well as leading design solutions are the three main reasons.

The top of the line new Dometic HiPro Evolution and Alpha range minibars are developed with your business experience in mind. A sustainable minibar is a smart minibar. The new HiPro Alpha and Evolution range is just that. Boasting precise temperature control, world class efficiency and the best minibar cooling capacity, the premium Dometic HiPro range ensures absorption technology checks in for a clean, sustainable future in your hotel.



NEW DOMETIC HIPRO MINIBARS

The world's best minibars

The state-of-the-art design of Dometic HiPro will help you create a premium in-room feeling. With sleek design, elegant illumination and crystal clear doors, invite your guests to treat themselves to something special.

Sustainably checking in

Sustainability means doing more with less. It's a philosophy we put into action with an outstanding energy efficient minibar range on the market. The all new HiPro range delivers more powerful cooling with up to 40% less energy consumption, making a visible difference OPEX for hotel owners.

Read more on this on p.13



DOMETIC DRAWER MINIBARS

Unique design, outstanding construction

Our drawer minibars are a class of their own in terms of design, size and functionality. Efficient cooling, convenient slide-out access.

Read more on this on p.18



DOMETIC MINIBARS

Always at your service

Premium can't be measured. It's all about the first impression, elegant design, and the silence that your guests appreciate. What can be measured is efficiency. With improved cooling performance and up to 40% lower energy consumption*, it's clear to see why the HiPro

range is considered the world's best minibar. After more than 50 years in the hotel business and 6 million installed units, we're proud to say that we're pioneering the hotel industry. Again.

1. COST REDUCTION

The new HiPro offers best-in-class energy efficiency that will reduce operational costs.

2. SUSTAINABILITY

We work hard to achieve even lower footprints within manufacturing as well as energy consumption.

PIONEERING THE HOTEL INDUSTRY. AGAIN.

We believe in sustainable innovation for a better guest experience.

3. GUEST EXPERIENCE

HiPro will not only deliver premium cooling performance – it is also an attractive and sales promoting feature in the guest room.

4. STRONG PARTNERSHIP

After more than 50 years in the hotel business we have a strong promise to ensure care free maintenance.

*Compared with equivalent previous models.

SUSTAINABLE MINIBARS FOR A CLEAN FUTURE

We are committed to driving sustainability in our field. It is a commitment that involves every part of our products' life cycles. From using energy-efficient production methods and recyclable materials, to enabling our customers to work more efficiently and sustainably – with smart, durable products that last longer.

- All our cooling technologies (absorption and compressor) meet the most ambitious Energy Efficiency Index
- Resource efficiency during the entire life cycle
- Up to -30% energy consumption achieved compared to Ecoline Absorption RH models
- Up to -15% energy consumption achieved compared to HiPro models
- Up to -40% energy consumption achieved compared to Ecoline CL models



AT HOME IN THOUSANDS OF HOTELS

Over the last 50 years, Dometic has supplied minibars to hotels and cruise lines around the world. Today, we are the market leader. In addition to cooling solutions, we provide a range of tough and reliable safes.

Dometic is the world's leading supplier of minibars to the hotel industry. And it is not only the most luxurious hotels in the world that come knocking on our door but also hotels of every star rating. For the past 50 years, there have been more than 6 million minibars manufactured by Dometic installed in hotel rooms around the world.





THE WORLD'S BEST MINIBAR

NEW DOMETIC HIPRO MINIBARS

WE DEVELOPED HIPRO WITH HOTEL GUESTS IN MIND

A well-stocked minibar is an expected and appreciated hotel room feature for well-travelled hotel guests. Let's have a deeper look at some outstanding features we offer to the market with the all-new HiPro minibar generation:



WATCH THE VIDEO
Scan the QR code



1 Lower energy consumption
Dometic's new HiPro range will reduce energy consumption by up to 40%.

2 Premium guest experience
New HiPro will be an attractive and sales-promoting feature in the guest room.

3 Improved cooling power
Improved cooling capabilities with updated and optimised functionality.

4 A strong partner
With more than 50 years of experience and more than 6 million installed units; we are a proven partner.



A sustainable minibar is a smart minibar. The new Dometic HiPro range is just that. It's also more efficient with improved cooling and up to 40% less energy consumption. After more than 50 years in the hotel business and 6 million installed units, we're proud to say that we're pioneering the hotel industry. Again.



C40G









1. Aluminium handle
Stylish aluminium handle for all Evolution models.



2. Control panel
Easy to use control panel with status LED.



3. Door racks
Included in all type of doors, also for the transparent doors.

						
TECHNICAL DATA						
MODEL	EVOLUTION A30S	EVOLUTION A40S	EVOLUTION C40S	EVOLUTION C40G	EVOLUTION C60S2	EVOLUTION C60G2
Cooling technology	Absorption	Absorption	Compressor	Compressor	Compressor	Compressor
Model class (l)	30	40	40	40	60	60
Volume (l)	26	33	33	33	49	49
Door type	Solid door	Solid door	Solid door	Glass door	Solid door	Glass door
Product dimensions W x H x D (mm)	384 x 520 x 446	405 x 550 x 466	405 x 550 x 481	405 x 550 x 481	490 x 565 x 510	490 x 565 x 510
Weight (kg)	13.7	15.3	17.5	20.1	19.5	22.5
Sliding hinge kit	Yes	Yes	Yes	-	Yes	-
Can be built-in/integrated	With ventilation	With ventilation	With ventilation	With ventilation	With ventilation	With ventilation
Variable door hinge	Yes	Yes	Yes	Yes	Yes	Yes
LED interior light	Ambient top + bottom					
Input rating (W)	60-70	60-70	45	45	45	45
Energy consumption (EU Std, kWh/annum)	195	210	47	56	53	80
Noise level (db(A))	0	0	33	33	36	36
Features	<ul style="list-style-type: none"> Noiseless Ambient illumination 1 x door rack with decorative trim 1 x tempered glass shelf Aluminium handle Adjustable shelf Decorative panel on evaporator Long lasting technology 	<ul style="list-style-type: none"> Noiseless Ambient illumination 2 x door racks with decorative trim 2 x tempered glass shelves Aluminium handle Adjustable shelves Decorative panel on evaporator Long lasting technology 	<ul style="list-style-type: none"> High performance Integrated silent mode[^] Ambient illumination 2 x door racks with decorative trim 2 x tempered glass shelves Adjustable shelves Aluminium handle 	<ul style="list-style-type: none"> High Performance Integrated silent mode[^] Ambient illumination 2 x door racks with decorative trim 2 x tempered glass shelves Adjustable shelves Aluminium handle 	<ul style="list-style-type: none"> High Performance Integrated silent mode[^] Ambient illumination 2 x door racks with decorative trim 2 x tempered glass shelves Adjustable shelves Aluminium handle 	<ul style="list-style-type: none"> High Performance Integrated silent mode[^] Ambient illumination 2 x door racks with decorative trim 2 x tempered glass shelves Adjustable shelves Aluminium handle
Options	Key lock	Key lock	Key lock	Key lock	Key lock	Key Lock
Ref No.	9600029248 (Right Hinge) 9600029249 (Left Hinge)	9600029098 (Right Hinge) 9600029099 (Left Hinge)	9600029110 (Right Hinge) 9600029109 (Left Hinge)	9600029114 (Right Hinge) 9600029113 (Left Hinge)	9620001774 (Right Hinge) 9620001769 (Left Hinge)	9620001754 (Right Hinge) 9620001766 (Left Hinge)

[^] Manual activation



See the replacement guide on p.38 which new HiPro can replace your existing minibar.



Many business travellers are constantly on the move living a suitcase life. Most days represent hard work with long hours – arriving late to the room preparing for the next day’s meeting while burning the midnight oil. That’s why the minibar is a much appreciated feature offering cold beverages and energising snacks. For the leisure tourist, the hotel minibar is an opportunity to enjoy a cold beverage at the late arrival check-in, after a long city excursion and while getting ready for a fun night out – or perhaps waking up with a need to quench the thirst.



A40S









1. Black handle
Luxury black handle for all Alpha models.



2. Plastic door racks
Adjustable transparent door racks.



3. Control panel
Easy to use control panel with status LED.

						
TECHNICAL DATA						
MODEL	ALPHA A30S	ALPHA A40S	ALPHA C40S	ALPHA C40G	ALPHA C60S1	ALPHA C60G1
Cooling technology	Absorption	Absorption	Compressor	Compressor	Compressor	Compressor
Model class (l)	30	40	40	40	60	60
Volume (l)	26	33	33	33	49	49
Door type	Solid door	Solid door	Solid door	Glass door	Solid door	Glass door
Product dimensions W x H x D (mm)	384 x 520 x 446	405 x 550 x 466	405 x 550 x 481	405 x 550 x 481	490 x 565 x 510	491 x 565 x 510
Weight (kg)	13.7	15.3	17.5	20.1	19.5	22.5
Sliding hinge kit	Yes	Yes	Yes	-	Yes	-
Can be built-in/integrated	With ventilation	With ventilation	With ventilation	With ventilation	With ventilation	With ventilation
Variable door hinge	Yes	Yes	Yes	Yes	Yes	Yes
LED interior light	LED top light					
Input rating (W)	60–70	60–70	45	45	45	45
Energy consumption (EU Std, kWh/annum)	195	210	47	56	53	80
Noise level (db(A))	0	0	33	33	36	36
Features	<ul style="list-style-type: none"> Noiseless 1 x door rack 1 x plastic shelf Adjustable shelf Long lasting technology 	<ul style="list-style-type: none"> Noiseless 2 x door racks 1 x plastic shelf Adjustable shelf Long lasting technology 	<ul style="list-style-type: none"> High Performance Integrated silent mode[^] 2 x door racks 1 x plastic shelf Adjustable shelf 	<ul style="list-style-type: none"> High Performance Integrated silent mode[^] 2 x door racks 1 x plastic shelf Adjustable shelf 	<ul style="list-style-type: none"> High Performance Integrated silent mode[^] 2 x door racks 1 x plastic shelf Adjustable shelf 	<ul style="list-style-type: none"> High Performance Integrated silent mode[^] 2 x door racks 1 x plastic shelf Adjustable shelf
Options	Key lock	Key lock	Key lock	Key lock	Key lock	Key Lock
Ref No.	9600028960 (Right Hinge) 9600028961 (Left Hinge)	9600028964 (Right Hinge) 9600028965 (Left Hinge)	9600049599 (Right Hinge) 9600049600 (Left Hinge)	9600029283 (Right Hinge) 9600029284 (Left Hinge)	9620001768 (Right Hinge) 9620001758 (Left Hinge)	9620001773 (Right Hinge) 9620001770 (Left Hinge)

[^] Manual activation



ALPHA A30S



ALPHA A40S



ALPHA C40S



ALPHA C40G



ALPHA C60S1



ALPHA C60G1

See the replacement guide on p.38 which new HiPro can replace your existing minibar.




Convenient slide-out access, quiet operation, low energy consumption: Dometic drawer minibars set new standards in design and efficiency. Dometic DM 50 provides 50 litres capacity in an award-winning design featuring an automatic slide-out tray for snacks and mini bottles and an adjustable drawer for bottles and cans.

- Unique design for convenient slide-out access
- Patented and design awarded technology



DM 50C



		
TECHNICAL DATA		
MODEL	DM 50CD	DM 50CF
Refrigeration technology	Compressor	Compressor
Volume (l)	50	50
Product dimensions W x H x D (mm)	550 x 423 x 508	550 x 423 x 478
Weight (kg)	24.5	23.4
Refrigerant type	R600a	R600a
LED interior light	Yes	Yes
Colour	Black	Black
Thermostat control	Electronic thermostat	Electronic thermostat
Noise level (db[A])	39	39
Features	<ul style="list-style-type: none"> • Mini drawer with rotatable dividers for mini bottles or snacks • Main drawer with 4 bottle fingers and multiple sized dividers for flexible storage 	<ul style="list-style-type: none"> • Mini drawer with rotatable dividers for mini bottles or snacks • Main drawer with 4 bottle fingers and multiple sized dividers for flexible storage
Ref No.	9600049502	9600028688



1. Sliding rails

Perfect workmanship – removable and smooth running sliding rails for convenient use.



2. Interior lights

LED interior light – nicely features the snacks and beverages inside.



3. Sliding drawers

Simply slides out and self closing drawer provides easy access to the contents.



D Version



F Version

D models with Dometic front panel – F models with a front panel of your choice


D Version: Door with anthracite grey Dometic front panel and handle

F Version: Door with plain front allowing the designer and furniture manufacturer to complete the door finish with a custom front panel based on our specifications (dimensions/ thickness/weight)

VENTILATION GUIDELINE

To ensure optimum cooling performance with minimum energy consumption, several basic principles need to be followed when installing a minibar. The heat which the cooling unit extracts from the refrigerator interior is emitted at the back of the minibar. There must be sufficient ventilation here to prevent a build-up of heat.

The free ventilation space for the new Hipro Absorption and Compressor for incoming air should be at least 150 cm² and outgoing air at least 200 cm², incoming air should be at least 150 cm² and outgoing air at least 200 cm². The distance from the rear of the minibar to the rear wall of the furniture must be at least 2 cm. When installing the minibar, ensure that it is standing on a stable and horizontal surface, and not directly near a heat source.




THINGS TO NOTE WHEN INSTALLING A BUILT-IN MINIBAR

- The minibar must be placed on a surface that is level in both directions
- There should be a 2 cm clearance to the wall
- Ventilation must be provided as shown in the drawings below (A, B, C or D)
- The entire cooling unit should protrude into the ventilation duct as shown below
- Air passing through the duct must not be warmed up by any source of heat
- Ventilation grills, if used, must have a free opening of at least 150 cm² incoming air and 200 cm² outgoing air for the new Hipro Absorption and Compressor



Impact of airflow video



Insufficient airflow results in a shortened life span and a reduced cooling performance. Observe the minimum spacings when installing the minibar to furniture.





FROM STANDARD TO PREMIUM

The range of Dometic ProSafe models

Security is an essential requirement for hotel guests, and one of the main reasons for choosing or discarding a destination and a hotel. The Dometic Group, aware of this, is always developing and improving all of its products in order to meet the needs of customers.

The latest product innovation Dometic has launched is a ProSafe range which goes one step further in terms of design, functionality, technology and security. This ProSafe range has a very modern design with a colour display, an illuminated keypad, the latest anti-tampering system and a new website platform which offers the

possibility to operate the safe with the strictest security. The elegant cabinets of the new ProSafe generation have rounded corners and edges for enhanced safety. Contemporary design.

- Master key
- LED interior light
- iAudit system – unique in the industry
- Remote Emergency Opening System (REOS 2.0) – ultimate security and user comfort
- Battery level check



Premium Class

Excellence in form and function: Dometic innovations like iAudit tracking and the REOS Remote Emergency Opening System ensure security on all levels.



Standard Class

High security level combined with easy operation for perfect comfort and convenience.

PRODUCT FINDER – THE QUICK WAY TO FIND THE RIGHT PRODUCT

Laser-cut door

Our doors are precisely cut and crafted by a laser beam. This allows us to achieve 100% accuracy in dimensions and an extremely small clearance between the door and casing, making the door impossible to pry open.

Anti-Tamper system

With the anti-tampering system, Dometic offers a unique security feature for their models. All anti-tampering manipulation attempts are recorded in the electronic of the safe and can be tracked back at any time.

REOS code

REOS stands for Dometic's Remote Emergency Opening System. The emergency opening system from Dometic is based on an innovative encoding system. The unique solution combines advanced electronics with state-of-the-art online technology to allow simple yet highly secure emergency opening by authorised hotel staff.

Premium iAudit

All operations effected on a safe must be documented – for your own security and for your insurance provider.

This is where Dometic's Premium iAudit system offers a truly convenient solution: the integrated microchip provides storage capacity for the last 1,000 events.

SAM

The unique Dometic Safe Management System (SAM) allows for iAudit Trail and one time emergency code generation (REOS) from a user friendly but PIN secured internet based software tool.

● Yes / – No / ○ Optional

WHAT'S IMPORTANT TO YOU?	PREMIUM CLASS	STANDARD CLASS
Easy operation	●	●
Motorised opening	●	●
LED interior light	●	●
LED display	●	●
Emergency opening with master key	●	●
Emergency opening with master code	●	●
Emergency opening with REOS code	○	–
Anti-tampering system	○	–
Premium iAudit	●	–
SAM	○	–
Laser-cut door	●	–
From page	28	32



SAFE TO SAY IT'S MORE CONVENIENT

PREMIUM CLASS IN-ROOM SAFES

DOMETIC PREMIUM CLASS SAFES

Protection for more privacy – comfortably and with absolute reliability. With a Dometic Premium Class ProSafe, a hotel room becomes a perfectly private haven for the guest. A safe place for storage, conceived and implemented according to the newest standards. Its innovative and customisable design suits every hotel in a stylish way. Smooth surfaces and rounded edges make it easy to look after and give it long-lasting character. A colour display and the integrated soft-touch keypad make operation easy. And a Premium

Class ProSafe also breaks new ground when it comes to protective properties: pioneering technology like the unique iAudit and the anti-tampering system ensure security on all levels. The demand for contemporary security systems with added convenience is supported by special features such as REOS 2.0 software with its emergency code-opening system (optional).

- LED interior light
- Laser-cut door and frame
- iAudit for convenient documentation
- Emergency opening with key and master code
- Remote Emergency Opening System (REOS 2.0)
– ultimate security and user comfort (optional)



WIDE CHOICE OF MODELS AND SIZES

Dometic ProSafe MD series Premium Class safes are available in various sizes to suit different capacity demands, interior designs and installation conditions. Sizes range from 8.2 to 29 litres.



1. Batteries powered

Batteries included – Dometic safes come ready to use.



2. Automatic door

Automatic opening – Safe door opens automatically.



3. Fixing kit

Fixing kit – Optional fixing kit for secure fastening.

SAFETY & SECURITY
PROSAFE PREMIUM CLASS

			
TECHNICAL DATA	MD 283	MD 363	MD 383
MODEL	MD 283	MD 363	MD 383
Type of product	Electronic safe		
Capacity (liters)	8.2	24	28
Exterior dimensions W x H x D (mm)	280 x 165 x 235	360 x 190 x 410	380 x 190 x 450
Interior dimensions W x H x D (mm)	277 x 162 x 185	357 x 187 x 360	377 x 187 x 400
Steel thickness (mm)	Door: 5.0 / Body 1.2	Door: 5.0 / Body 1.5	Door: 5.0 / Body 1.5
Net weight (kg)	6.1	10.2	11.3
Keypad	ADA-compliant rubber keypad		
Display	White LED colour display, 4-digit guest code, English language		
Locking mechanism	Two 18 mm solid steel bolts		
Locking system	Motorised with automatic opening		
Power	4 LR6/AA 1.5 V batteries (incl.)		
Cabinet colour	Anthracite		
FEATURES			
LED interior light	●	●	●
Laser cut technology	●	●	●
Masterkey opening	●	●	●
Mastercode opening	●	●	●
Anti-tampering system	○	○	○
REOS	○	○	○
iAudit	●	●	●
Laptop size	–	15"	17"
OPTIONS			
	<ul style="list-style-type: none"> • Left-hand hinge • Fixing Kit 	<ul style="list-style-type: none"> • Left-hand hinge • White colour (MOQ's apply) • Two steps emergency code opening (REOS) • Fixing Kit 	<ul style="list-style-type: none"> • Left-hand hinge • White colour (MOQ's apply) • Two steps emergency code opening (REOS) • Fixing Kit
Ref No.	9600025507	9600025509	9600025515

● Yes / – No / ○ Optional

		
TECHNICAL DATA	MD 408	MD 493
MODEL	MD 408	MD 493
Type of product	Electronic safe	
Capacity (liters)	22.5	29
Exterior dimensions W x H x D (mm)	405 x 190 x 350	490 x 190 x 370
Interior dimensions W x H x D (mm)	402 x 187 x 300	487 x 187 x 320
Steel thickness (mm)	Door: 5.0 / Body 1.5	Door: 5.0 / Body 1.5
Net weight (kg)	10.4	12.4
Keypad	ADA-compliant rubber keypad	
Display	White LED colour display, 4-digit guest code, English language	
Locking mechanism	Two 18 mm solid steel bolts	
Locking system	Motorised with automatic opening	
Power	4 LR6/AA 1.5 V batteries (incl.)	
Cabinet colour	Anthracite	
FEATURES		
LED interior light	●	●
Laser cut technology	●	●
Masterkey opening	●	●
Mastercode opening	●	●
Anti-tampering system	○	○
REOS	○	○
iAudit	●	●
Laptop size	15"	17"
OPTIONS		
	<ul style="list-style-type: none"> • Left-hand hinge • White colour (MOQ's apply) • Two steps emergency code opening (REOS) • Fixing Kit 	<ul style="list-style-type: none"> • Left-hand hinge • Fixing Kit
Ref No.	9600025517	9600025524

● Yes / – No / ○ Optional

DOMETIC STANDARD CLASS SAFES

Robustly made with user-friendly features and functions

It puts hotel guests' mind at rest to have a safe place for their valuables while travelling. Providing a secure space for important or valuable objects yet it is a distinctive feature when choosing a hotel room or suite. With a Standard Class ProSafe, you can create a reliable spot in a guest room that is worth every penny. Security and functionality are paramount with all Dometic safe models. The Standard Class safe models offer your guests a high level of security thanks to their robust construction. Their simple and intuitive usability provides perfect comfort and convenience.

- Robust and reliable
- LED display
- LED interior light
- Master key and master code emergency opening
- Wide choice: vertical, horizontal, top-opening

WIDE CHOICE OF MODELS AND SIZES



MD 310

MD 390

MD 450

MD 450

DOMETIC PROSAFE MD 310 / 390 / 450 SAFE INVESTMENT

The doors on all the Standard Class safe models are precisely cut and crafted. Their robust construction and a locking system with extra-strong steel bolts leave no point of attack for burglars. The LED interior light minimises the risk of forgotten valuables. Fast and secure emergency opening is possible with a master key or master code (depending on the model).

- Robust, reliable construction for optimal safety
- LED interior light makes the contents visible at a glance
- Emergency opening with master key or master code





DOMETIC PROSAFE MDT TOP-OPENING SAFE

Part of the Dometic Standard Class range, the Dometic ProSafe MDT 400 X top-opening safe provides a simple, yet ingenious solution that is easy to operate and safe to use. The top-opening drawer safe can be integrated in an existing furniture drawer and provides easy access to guests' valuables. At the same time it meets the highest demands on ergonomic design, comfort and security with an LED inside light for standard, master key and master code opening possibility in case of emergency, digital LED illuminated keypad, four-digit code and top-opening stabilizer arm. An audio signal confirms that the safe is securely locked.



- Convenient access from above
- LED interior light makes the contents visible at a glance
- Enough room to fit laptop and tablet computers
- Ideal for installation into existing hotel room drawer
- Stabilizer arm for smooth opening and closing of the lid



SAFETY & SECURITY
PROSAFE STANDARD CLASS

		
TECHNICAL DATA		
MODEL	MD 310	MD 390
Type of product	Electronic safe	
Capacity (litres)	9	31.5
Exterior dimensions W x H x D (mm)	310 x 165 x 245	390 x 200 x 480
Interior dimensions W x H x D (mm)	306 x 161 x 182	386 x 196 x 418
Steel thickness (mm)	Door: 5.0 / Body 2	Door: 5.0 / Body 2
Net weight (kg)	7.1	14.3
Keypad	Rubber keypad	
Display	Red LED 4-digit guest code, English language	
Locking mechanism	Two 19 mm steel bolts	
Locking system	Motorised with automatic opening	
Power	4 LR6/AA 1.5 V batteries (incl.)	
Cabinet colour	Anthracite	
FEATURES		
Confirmation buzzer	●	●
LED interior light	●	●
Door handle opening	-	-
Masterkey opening	●	●
Mastercode opening	●	●
Anti-tampering system	-	-
REOS	-	-
iAudit	-	-
Laptop size	-	17"
OPTIONS		
	<ul style="list-style-type: none"> Left-hand hinge Fixing kit 	<ul style="list-style-type: none"> Left-hand hinge Fixing kit
Ref No.	9106601372	9108300290

● Yes / - No / ○ Optional

		
TECHNICAL DATA		
MODEL	MD 450	MDT 400X
Type of product	Electronic safe	
Capacity (litres)	30.4	9.7
Exterior dimensions W x H x D (mm)	450 x 200 x 410	400 x 130 x 350
Interior dimensions W x H x D (mm)	446 x 196 x 348	390 x 75 x 300
Steel thickness (mm)	Door: 5.0 / Body 2	Door: 3.0 / Body 1.5
Net weight (kg)	14.5	9
Keypad	Rubber keypad	
Display	Red LED 4-digit guest code, English language	White LED 4-digit guest code, English language
Locking mechanism	Two 19 mm steel bolts	
Locking system	Motorised with automatic opening	
Power	4 LR6/AA 1.5 V batteries (incl.)	
Cabinet colour	Anthracite	
FEATURES		
Confirmation buzzer	●	●
LED interior light	●	●
Door handle opening	-	-
Masterkey opening	●	●
Mastercode opening	●	●
Anti-tampering system	-	-
REOS	-	-
iAudit	-	-
Laptop size	15"	15"
OPTIONS		
	<ul style="list-style-type: none"> Left-hand hinge Fixing kit 	<ul style="list-style-type: none"> Fixing kit
Ref No.	9108300294	9106601394

● Yes / - No / ○ Optional



RESTAURANT & CATERING

Fresh on arrival

For businesses who would like to keep taking orders have two options for cold delivery: a fully refrigerated truck or a mobile alternative. While full vehicle conversions are common, the process can be costly, complex and rely on numerous components from various sources and services. From regular passenger sedans to small delivery vans and mid-sized fleet vehicles our mobile cooling range offers a fast and flexible cold chain alternative that requires little to no installation that can be ready for making deliveries today.

If you're transporting food absolute temperature precision is required. HACCP (Hazard Analysis Critical Control Points) is an internationally binding quality management system for foodstuffs. That's why we provide proven cooling and freezing solutions for a variety of temperature-sensitive applications.

DOMETIC CFX3

Years of innovation for cooling perfection

Keep your product at the right temperature at all times. We can provide you with a mobile refrigeration solution. Our portable compressor fridge/freezers fit for demanding cooling tasks in harsh environments. Being very powerful they provide excellent cooling performance, even at extremely high ambient temperatures. The CFX3 features durable and lightweight fender frames to protect the fridge/freezer. Strong, spring-loaded aluminium handles make it easy to lift and carry. Adjust the cooling temperature of your CFX3 on the TFT display screen or download the Dometic app and roam free without worry.

- Heavy-duty yet lightweight construction, fender frame protected edges and stainless steel hinges
- CFX3 smartphone app allows temperature control via WiFi or Bluetooth and provides performance history
- Powerful VM3SO3 compressor cooling technology
- 3-stage dynamic battery protection system prevents a dead car battery or allows a deep draw on dual batteries
- Generous storage capacity of 25 – 99 l
- Built-in TFT user interface displays operating status



12/24 V



Suitable for solar



230 V



Controlled via WiFi or Bluetooth

CFX3 AWARDS










Dometic's CFX3 portable fridge/freezer was a winner of the Red Dot Award for Outstanding Design Quality. Jurors comprising of experienced experts from different disciplines from all over the world awarded the CFX3 portable fridge/freezer as a winner thanks to the product aesthetics and its ability to set new design standards in our industry.




Dometic's CFX3 Portable fridge/freezer received a prestigious Good Design Award Gold Accolade in the Product Design Domestic Appliances category in recognition for outstanding design and innovation.



Dometic's CFX3 powered fridge/freezer received the caravan industry experts' European Innovation Award in the category of camping equipment. The European Innovation Awards were selected from more than 200 different proposals in 15 categories.

TECHNICAL DATA							
COMPRESSOR COOLERS	CFX3 25	CFX3 35	CFX3 45	CFX3 55	CFX 55IM	CFX3 75DZ	CFX3 95DZ
Total Volume (l)	25	36	46	55	55	75 (45/30)	94
Connections	12 / 24 V DC / 100 – 240 V AC						
Temperature range	+10°C to –22°C						
Power consumption (DC 12 V)	Average current draw x running time. 0.92 Ah/h (@12 V, 4°C set, 32°C ambient, Bluetooth on, WiFi off),	Average current draw x running time. 0.98 Ah/h (@12 V, 4°C set, 32°C ambient, Bluetooth on, WiFi off),	Average current draw x running time. 1.03 Ah/h (@12 V, 4°C set, 32°C ambient, Bluetooth on, WiFi off),	Average current draw x running time. 1.10 Ah/h (@12 V, 4°C set, 32°C ambient, Bluetooth on, WiFi off),	Average current draw x running time. 1.20 Ah/h (@12 V, 4°C set, 32°C ambient, ice maker on/maintenance, Bluetooth on, WiFi off),	Average current draw x running time. 3.57 Ah/h (@12 V, 4°C (large), -15°C (small), 32°C ambient, Bluetooth on, WiFi off),	Average current draw x running time. 3.57 Ah/h (@12 V, 4°C (large), -15°C (small), 32°C ambient, Bluetooth on, WiFi off),
Weight (kg)	12.7	16.9	18.7	20.4	21.3	27.8	29.8
Refrigerant	R 134a						
Protection class	Digital display IP64						
Ref No.	9600028368	9600028616	9600028617	9600028619	9600028620	9600028621	9600028622



DOMETIC COOL-ICE

Passive coolers in heavy duty quality

Dometic ice boxes feature an extremely effective insulation system. Once filled with ice, they can keep groceries, drinks, fish, and bait fresh for several days. The new facelift models of the popular Cool Ice series are even cooler. Practical accessories like seat cushions, fishing rod holders and bottle openers make them indispensable partners for beach-goers, fishermen, and other adventurers. The modular storage system, consisting of wire baskets and dividers, help to organise food and drink neatly.

- Thick insulation and unique sealing design means ice lasts longer
- Hygienic and easy to clean with large diameter drain plug
- With convenient extended handle and wheels (CI 85W)
- Strong, seamless, food grade polyethylene construction.
- Integrated polyethylene feet
- Practical tie down points below handles
- Integrated hinges with stainless steel rods and durable rubber latches







PORTABLE LITHIUM BATTERY SUPERIOR PERFORMANCE – RELIABLE POWER SUPPLY

The Dometic PLB40 Ah Lithium Iron Phosphate battery delivers high levels of mobile power. Designed for powering powered coolers and other 12 V appliances. Thanks to its lightweight and compact design you can enjoy true independence.

For more information see dometic.com



TIP
Use our portable fridge/freezers also when there is no energy available

TECHNICAL DATA				
ICE BOXES	CI 15	CI 28	CI 42	CI 55
Capacity (l)	15	28	42	55
Dimensions W x H x D (mm)	450 x 303 x 303	450 x 375 x 425	640 x 355 x 418	570 x 432 x 515
Weight (kg)	4.3	6.3	8.7	10.6
Ref No.	9620008810	9620008812	9600000541	9600000542

TECHNICAL DATA					
ICE BOXES	CI 70	CI 85	CI 85W	CI 92L	CI 110
Capacity (l)	70	85	85	92	110
Dimensions W x H x D (mm)	690 x 432 x 515	840 x 432 x 525	840 x 432 x 525	1055 x 427 x 441	1055 x 422 x 535
Weight (kg)	11.8	14	14.6	15.3	18.1
Ref No.	9600000543	9600000544	9600000545	9600025763	9600000546



NEW HIPRO REPLACEMENT GUIDE

Which new Dometic HiPro minibar can replace your old minibar

OLD MODEL	PRODUCT DIMENSIONS W x H x D (mm)	COOLING TECHNOLOGY	NEW MODEL	PRODUCT DIMENSIONS W x H x D (mm)
HiPro 3000	388 x 527 x 418	Absorption	HiPro Evolution A30S	384 x 520 x 446
			ALTERNATIVE	
HiPro 4000	405 x 559 x 452	Absorption	HiPro Alpha A30S	384 x 520 x 446
			HiPro Evolution A40S	405 x 550 x 466
			ALTERNATIVE	
RH 430 LD	384 x 522 x 410	Absorption	HiPro Alpha A40S	405 x 550 x 466
			HiPro Evolution C40S	405 x 550 x 481
			HiPro Alpha A30S	384 x 520 x 446
RH 440 LD	401 x 554 x 446	Absorption	HiPro Evolution A30S	384 x 520 x 446
			HiPro Alpha A40S	405 x 550 x 466
			HiPro Evolution A40S	405 x 550 x 466
			ALTERNATIVE	
CL 440 LDC	401 x 554 x 440	Compressor	HiPro Alpha C40S	405 x 550 x 481
			HiPro Evolution C40S	405 x 550 x 481
CL 440 LGC (Glass Door)	401 x 554 x 450	Compressor	HiPro Alpha C40S	405 x 550 x 481
			HiPro Evolution C40S	405 x 550 x 481
RH460LD DP	486 x 563 x 474	Absorption	HiPro Alpha C40G	405 x 550 x 481
			HiPro Evolution C40G	405 x 550 x 481
CL460LDC	485 x 562 x 475	Compressor	HiPro Alpha C60S	490 x 565 x 510
			HiPro Evolution C60S	490 x 565 x 510
CL460LGC	485 x 562 x 485	Compressor	HiPro Alpha C60S	490 x 565 x 510
			HiPro Evolution C60S	490 x 565 x 510
			HiPro Alpha C60G	490 x 565 x 510
			HiPro Evolution C60G	490 x 565 x 510



AUSTRALIA
DOMETIC AUSTRALIA PTY LTD.

Victoria

PO Box 1140
CLAYTON SOUTH VIC 3169
Tel +61 (03) 9239 1000
Fax +61 (03) 9239 1099
Email lodging@dometic.com.au

Queensland

PO Box 2495
BURLEIGH BC QLD 4220
Tel +61 (07) 5507 6000
Fax +61 (07) 5507 6001
Email lodging@dometic.com.au

Western Australia

12 Prosperity Ave
WANGARA WA 6065
Tel +61 (08) 9303 3555
Fax +61 (08) 9303 3577
Email lodging@dometic.com.au

NEW ZEALAND
DOMETIC NEW ZEALAND LTD.

Auckland

PO Box 12011
Penrose, Auckland 1642
Tel +64 (9) 622 1490
Fax +64 (9) 622 1573
Email customerservices@dometic.co.nz

Dometic Hospitality Catalogue 2023_V1

We distribute our products in around 100 markets. Please ask for your contact point if not listed here, or check our website [Dometic.com](https://www.dometic.com)

